

200 FABRIC LIGHT BOX

PROFILE Powered by Perimeter Power Technology

DOUBLE YOUR INVESTMENT

The **Profile 200 Fabric Light Box** is designed for heavy-duty, large-scale applications that require illumination on one or both sides. Prominently displayed as a double-sided, freestanding marketing solution, Profile 200 enjoys many of the benefits of its 100 and 120 counterparts while boasting specific features unique to it. Get ready to watch your sales soar when accessorizing this profile for added value with TV mounts and other popular product display accessories!



One frame, designed for many applications

- 
QUICK GRAPHICS CHANGES
- 
FRAMELESS DESIGN
- 
FREESTANDING
- 
HANGING
- 
DOUBLE-SIDED
- 
OUTSTANDING BRIGHTNESS
- 
EVEN LIGHTING NO DARK SPOTS
- 
PLUG & PLAY
- 
POWER 24V
- 
80% ENERGY EFFICIENT
- 
CUSTOM SIZES
- 
CUSTOM FRAME COLORS

ASSURED QUALITY

- 
UL LISTED E340398
- 
100% QC
- 
MADE IN USA
- 
MANUFACTURER'S WARRANTY

LEDCONN

— Be the FOCUS —

-  (714) 256-2111
-  sales@ledconn.com
-  (714) 256-2118
-  301 Thor Place
Brea, CA, 92821
-  www.ledconn.com



COMPLEX FREESTANDING APPLICATION



GREAT FOR TV INSTALLATION APPLICATIONS

APPLICATIONS

- Retail Environments & Windows
- Airports
- Museums
- Restaurants
- Corporate Offices
- Trade Show Exhibitions

MOUNTING TYPES



- Freestanding, attaches to foot stand
 - Standard feet
 - Heavy-duty stainless steel feet
- Hanging
 - Eyehook
 - Aviation cable

· Custom mounting available: we can provide hardware kits for your desired application.

Contact us today at (714) 256-2111 to find out more.


SPECIFICATION SUBMITTAL

JOB NAME / NUMBER	PART NUMBER
-------------------	-------------


MECHANICAL



PROFILE 200
CROSS-SECTION



PERIMETER POWER LIGHTING



FRAME

Depth 7.87" (200mm)

Frame Size

Min. ≥ 20" x 20" (508mm x 508mm)

Max. ≤ 120" (3048mm) width x any length

Outside Dimensions Equivalent to graphic size

Orientation

- Portrait
- Landscape

FINISH

Standard Silver anodized aluminum

Custom Color Powder coated (available upon request)

FABRIC

Graphic Size/Visual Area Equivalent to frame size

Material Type 100 % Flame-retardant polyester

Print Process Digital dye-sublimation

Installation Silicone beading (stitched edge)

Flexible PVC 0.55" x 0.098" (14mm x 2.5mm)

Diffuser Not needed

Graphic #2 If only single-sided illumination

- White
- Non-lit print available

PACKAGING

- Ships Knocked Down (Disassembled)**
- Crated** For large & oversize shipments



WANT A SPECIAL COLOR?


Call us for a quote today—(714) 256-2111
*Additional charges may apply.

SPECIFICATION SUBMITTAL

JOB NAME / NUMBER	PART NUMBER
-------------------	-------------

ELECTRICAL

AVAILABLE COLOR TEMPERATURES (CCT)



DAISY CHAIN FORMATION

Conveniently link multiple light boxes together



Convert this profile into a full-blown product display with optional **TV Mount & Magnet Accessories**. Call today to learn more.

LIGHTING

Light Source Perimeter Power Lighting

CREE® LED

Power Consumption 15W per module

Life Expectancy 50,000+ hours

Easy Replacement Can be installed on-site

Standard Color Temperature (CCT) 6500K

Available Color Temperatures (CCT)

- 4100K
- 5300K
- 6500K

Operating Voltage 24Vdc

LIGHTING OPTIONS

Color-Changing RGB Provides unique colored effect

Easy Dimming Provides control of the lighting intensity

POWER SUPPLY

Internal Class 2 Power Supply Handles up to 60W

Input Voltage 100-240Vac, 50-60Hz

Universal Power Supply Available upon request

Daisy Chain Link multiple light boxes for easy, clean installation & minimal visible wiring using just one outlet.

PERIMETER LIGHTING




SPECIFICATION SUBMITTAL

JOB NAME / NUMBER	PART NUMBER
-------------------	-------------

LIGHT BOX PART NUMBER ORDER SHEET

EXAMPLE



PRODUCT LINE

F FABRIC LIGHT BOX

PROFILE

- 45** PROFILE 45
- 10** PROFILE 100
- 12** PROFILE 120
- 20** PROFILE 200

DIMENSIONS (INCHES)

LLWW LENGTH X WIDTH (VARIES)

COLOR TEMPERATURE (CCT)

- W** 6500K
- V** 5300K
- Y** 4100K
- Z** 3000K
- C** CUSTOM CCT

LIGHT SOURCE

- X** LUXFIT™ LIGHT PANEL
- L** LUXMESH™ LATTICE
- P** PERIMETER POWER LIGHTING

FRAME COLOR


- S** SILVER
- K** BLACK
- C** CUSTOM COLOR

OPTIONS

- ?** TV MOUNT & MAGNET ACCESSORIES

GRAPHICS PART NUMBER ORDER SHEET

EXAMPLE



PRODUCT LINE

GF FABRIC LIGHT BOX

DIMENSIONS (INCHES)

LLWW LENGTH X WIDTH (VARIES)

PRINT TYPE

- L** LUXX PRINT
- B** BLOCK OUT

PRINT/NO PRINT

- W** NO PRINT—WHITE
- Ø** PRINT—LEAVE BLANK

SPECIFICATION SUBMITTAL

JOB NAME / NUMBER	PART NUMBER
-------------------	-------------