

120 FABRIC LIGHT BOX

PROFILE Powered by LUXMESH™ Lattice Backlighting & Perimeter Technologies

MAXIMIZE YOUR ROI

The **Profile 120 Fabric Light Box** is our most popular and multifunctional marketing solution providing the best value to our clients. Designed for all types of traditional applications, including mounting, hanging, or freestanding displays, it's no wonder this profile is as popular as it is. Considering that our Fabric Light Boxes are all designed to last a lifetime, it's a no-brainer why clients love Profile 120. A one-time purchase will help your business maximize its ROI for years to come.



One frame, designed for many applications

- 
QUICK GRAPHICS CHANGES
- 
FRAMELESS DESIGN
- 
WALL MOUNT SEAMLESS APPLICATION
- 
HANGING
- 
FREESTANDING
- 
OUTSTANDING BRIGHTNESS
- 
EVEN LIGHTING NO DARK SPOTS
- 
PLUG & PLAY
- 
POWER 24V
- 
80% ENERGY EFFICIENT
- 
CUSTOM SIZES
- 
CUSTOM FRAME COLORS

ASSURED QUALITY

- 
UL LISTED E340398
- 
100% QC
- 
MADE IN USA
- 
MANUFACTURER'S WARRANTY

LEDCONN

— Be the FOCUS —

-  (714) 256-2111
-  sales@ledconn.com
-  (714) 256-2118
-  301 Thor Place
Brea, CA, 92821
-  www.ledconn.com

PROFILE 120 MAKES FOR A GREAT LARGE FREESTANDING DISPLAY!



SEEDAMM SHOPPING CENTER - SWITZERLAND



CUSTOMIZABLE SHAPES & GREAT FOR HANGING

APPLICATIONS

- Retail Environments & Windows
- Airports
- Museums
- Restaurants
- Corporate Offices
- Trade Show Exhibitions

MOUNTING TYPES



- Wall mount
- Hanging
 - Eyehook
 - Aviation cable
- Freestanding, attaches to foot stand
 - Standard feet
 - Heavy-duty stainless steel feet
- Custom mounting available: we can provide hardware kits for your desired application.


Contact us today at (714) 256-2111 to find out more.

SPECIFICATION SUBMITTAL


JOB NAME / NUMBER	PART NUMBER
-------------------	-------------

MECHANICAL


LUXMESH™ LATTICE LIGHTING



PERIMETER POWER LIGHTING



PROFILE 120
CROSS-SECTION



FRAME

Depth 4.7" (120mm)

Frame Size

Min. ≥ 18" x 18" (457mm x 457mm)

Max. ≤ 120" (3048mm) width x any length

Outside Dimensions Equivalent to graphic size

Orientation

Portrait Landscape

FINISH

Standard Silver anodized aluminum

Custom Color Powder coated (available upon request)

FABRIC

Graphic Size/Visual Area Equivalent to frame size

Material Type 100 % Flame-retardant polyester

Print Process Digital dye-sublimation

Installation Silicone beading (stitched edge)

Flexible PVC 0.55" x 0.098" (14mm x 2.5mm)

Diffuser Available upon request

White Fabric Blockout Included for optimal light reflection

PACKAGING

- Pre-Assembled** Individually packed, depending on size
- Ships Knocked Down (Disassembled)** For large or oversize projects



WANT A SPECIAL COLOR?


Call us for a quote today—(714) 256-2111
*Additional charges may apply.

SPECIFICATION SUBMITTAL

JOB NAME / NUMBER	PART NUMBER
-------------------	-------------

ELECTRICAL

AVAILABLE COLOR TEMPERATURES (CCT)




DAISY CHAIN FORMATION

Conveniently link multiple light boxes together



LUXMESH™ LATTICE LIGHTING



LIGHT SOURCE

Option 1: LUXMESH™ LED Lattice Lighting

Wide Beam Angle 120°

NICHIA® LED

9-inch lattice: LTS 9 @ 3.7W/pc

19-inch lattice: LTS 19 @ 7.5W/pc

38-inch lattice: LTS 38 @ 15W/pc

Option 2: Perimeter Power Lighting

CREE® LED

Power Consumption 15W per module

Easy Replacement Can be installed on-site

Life Expectancy 50,000+ hours

Standard Color Temperature (CCT) 6500K

Available Color Temperatures (CCT)

- 4100K
- 5300K
- 6500K

Operating Voltage 24Vdc

LIGHTING OPTIONS

Color-Changing RGB Provides unique colored effect

Easy Dimming Provides control of the lighting intensity

POWER SUPPLY

Remote Class 2 Power Supply Handles up to 60W

Input Voltage 100-240Vac, 50-60Hz

Universal Power Supply Available upon request

Daisy Chain Link multiple light boxes for easy, clean installation & minimal visible wiring using just one outlet.

PERIMETER LIGHTING




SPECIFICATION SUBMITTAL

JOB NAME / NUMBER	PART NUMBER
-------------------	-------------

PART NUMBER ORDER SHEET

EXAMPLE



PRODUCT LINE

F FABRIC LIGHT BOX

PROFILE

- 45** PROFILE 45
- 10** PROFILE 100
- 12** PROFILE 120
- 20** PROFILE 200

DIMENSIONS (INCHES)

LLWW LENGTH X WIDTH (VARIES)

COLOR TEMPERATURE (CCT)

- W** 6500K
- V** 5300K
- Y** 4100K
- Z** 3000K
- C** CUSTOM CCT

LIGHT SOURCE


- X** LUXFIT™ LIGHT PANEL
- L** LUXMESH™ LATTICE
- P** PERIMETER POWER LIGHTING

FRAME COLOR

- S** SILVER
- K** BLACK
- C** CUSTOM COLOR

GRAPHICS PART NUMBER ORDER SHEET

EXAMPLE



PRODUCT LINE

GF FABRIC LIGHT BOX

DIMENSIONS (INCHES)

LLWW LENGTH X WIDTH (VARIES)

PRINT TYPE

- L** LUXX PRINT
- B** BLOCK OUT

PRINT/NO PRINT

- W** NO PRINT—WHITE
- Ø** PRINT—LEAVE BLANK

SPECIFICATION SUBMITTAL

JOB NAME / NUMBER	PART NUMBER
-------------------	-------------